

11/22/00  
JC960 U.S. PTO

11-24-00

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Suutarinen, Jari

Serial No. TO BE ASSIGNED

Corresponding to PCT/FI99/00495, filed 8 June 1999

Filed: November 21, 2000

Docket No.: 796.377USW1

Title: TRACING IN MOBILE COMMUNICATIONS SYSTEM

JC675 U.S. PTO  
09/22/00  
11/22/00

CERTIFICATE UNDER 37 C.F.R. 1.10:

'Express Mail' mailing number: EL605625375US

Date of Deposit: November 22, 2000

The undersigned hereby certifies that this Transmittal Letter and the paper or fee, as described herein, are being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231

By: Michele Read

Michele Read

Box Patent Application  
Assistant Commissioner for Patents  
Washington, D.C. 20231

**REQUEST FOR CONTINUATION OF AN INTERNATIONAL APPLICATION**  
**UNDER 37 C.F.R. §1.53(b)**

This is a request for filing a continuation application under 37 C.F.R. §1.53(b) of prior pending international application number PCT/FI99/00495 filed on 8 June 1999 entitled TRACING IN MOBILE COMMUNICATIONS SYSTEM, which designated the United States.

1. ☒ Enclosed is a patent application containing 7 pages of specification, 2 pages of claims and 3 sheet(s) of drawings.
2. ☒ A preliminary amendment is enclosed.
3. ☒ Please amend the specification by inserting the following paragraph after the title:

This application is a continuation of international application serial number PCT/FI99/00495, filed 8 June 1999.

4. ☐ Small entity status
  - a. ☐ A small entity statement is enclosed.
  - b. ☐ A small entity statement was filed in the prior non provisional application.
  - c. ☐ is no longer claimed.

The filing fee is calculated below

CLAIMS				
	Number Filed	Number Extra	Rate	Fee
Total Claims	11		X \$18.00	\$
Indep. Claims	1		X \$80.00	\$
Multiply Dependent Claims				\$
Basic Fee				\$ 710.00
TOTAL				\$ 710.00


5. ☒ Payment of filing fees  
☒ A check in the amount of \$710.00 is enclosed.  
☐ Please charge Deposit Account Number 50-1038.  
☐ Is deferred.
6. ☒ The Commissioner is hereby authorized to credit any overpayment or charge any fees required under 37 C.F.R. §1.16-1.18 to Deposit Account Number 50-1038.
7. ☒ The priority of Finnish application number 981302, filed 8 June 1998, is claimed under 35 U.S.C. §119.  
☒ A certified copy of the priority application is enclosed.
8. ☒ A SIGNED Declaration is enclosed.
9. ☒ An assignment of the invention to Nokia Networks OY, Recordation Form Cover Sheet (Patents Only) and a check in the amount of \$40.
10. ☒ An Information Disclosure Statement, Form PTO 1449 and copies of 5 citations are enclosed.
11. ☒ Correspondence Address
- Altera Law Group  
10749 Bren Road East  
Minneapolis, Minnesota 55343
12. ☒ Address all correspondence to Michael B. Lasky.
13. ☒ Also enclosed: Abstract
14. ☒ A return postcard is enclosed.

Respectfully submitted,

Altera Law Group, LLC  
10749 Bren Road East, Opus 2  
Minneapolis, MN 55343  
(952) 912-0527

Date: November 22, 2000

By:

  
Michael B. Lasky  
Reg. No. 29,555  
MBL/jsa

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Suutarinen, Jari Examiner: UNKNOWN  
Serial No.: TO BE ASSIGNED Group Art Unit: TO BE ASSIGNED  
Filed: November 21, 2000 Docket No.: 796.377USW1  
Title: TRACING IN MOBILE COMMUNICATIONS SYSTEM

CERTIFICATE UNDER 37 C.F.R. 1.10:

'Express Mail' mailing number: EL605625375US

Date of Deposit: November 22, 2000

The undersigned hereby certifies that this Transmittal Letter and the paper or fee, as described herein, are being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231

By: Michele Read

(Michele Read)

PRELIMINARY AMENDMENT

Box Patent Application  
Assistant Commissioner for Patents  
Washington, D.C. 20231

Dear Sir:

Please enter the following preliminary amendment into the above-referenced application.

ABSTRACT

Please insert the attached abstract into the application as the last page thereof.

CLAIMS

Please amend the claims as follows:

In claim 7, line 1, please replace "according to claim 1 or 2" with --according to claim 1--.

In claim 8, line 1, please replace "according to claim 1 or 2" with --according to claim 1--.

In claim 9, line 1, please replace "according to claim 1, 2 or 3" with --according to claim 1--.

In claim 10, line 1, please replace "according to claim 1, 2 or 3" with --according to claim 1--.

In claim 11, line 1, please replace "according to claim 1, 2 or 3" with --according to claim 1--.

**REMARKS**

The above preliminary amendment is made to insert an abstract page into the application and to remove multiple dependencies from the following claims: 7,8,9,10 and 11.

Applicant respectfully requests that this preliminary amendment be entered into the record prior to calculation of the filing fee and prior to examination and consideration of the above-identified application.


If a telephone conference would be helpful in resolving any issues concerning this communication, please contact Applicant's attorney of record, Michael B. Lasky at 952-912-0527.

Respectfully submitted,

Altera Law Group, LLC  
10749 Bren Road East, Opus 2  
Minneapolis, MN 55343  
(952) 912-0527

Date: November 22, 2000

By:

  
\_\_\_\_\_  
Michael B. Lasky  
Reg. No. 29,555  
MBL/jsa

**For**

## TRACING IN MOBILE COMMUNICATIONS SYSTEM

A tracing facility is used for tracing the activities of various entities in the network when specific events occur within the system. The problem with prior art tracing is that activation as well as deactivation of this facility is done manually at the switching center by the operator. Therefore, it is loading network management and making the use of tracing facility difficult. The invention relates to a method of trace activation in a mobile communication system. It is characteristic for the method that a mobile station (MS) directs a communication to a predefined trace activation number and tracing is activated for the communicating mobile station (MS).

## Tracing in mobile communications system

### Field of the invention

The invention relates to a tracing facility in a mobile communications network, where tracing is activated and deactivated for individual mobile terminals.

### Background of the invention

Figure 1 of the attached drawing shows a simplified block diagram of the GSM mobile communications system. The mobile station MS is connected via a radio path to a base transceiver station BTS, in Figure 1 to the base station BTS1. A base station sub-system BSS consists of a base station controller BSC and the base stations BTS controlled by it. A mobile services switching center MSC usually controls several BSC and is connected to other mobile services switching centers and a GMSC (Gateway Mobile Services Switching Center). Via the GMSC, the GSM network is connected to other networks, such as the PSTN (Public Service Telephone Network), another mobile communication network (PLMN), or the ISDN network. The operation of the entire GSM system is monitored by the operation and maintenance center OMC. Subscriber data is stored in the Home Location Register HLR and in the Visitor Location Register VLR.

In a data communications system, network and mobile terminal functionality can be observed by tracing. A tracing facility enables the network to trace the activities of various entities when specific events occur within the system. The tracing facility enables the tracing of all the information that is available to the network concerning the call path. Examples of information that could be in a trace record are the identity of the originating and terminating equipment of the subscriber, supplementary services invoked, and all A-interface messages. The tracing facility can be used during system testing and commissioning, for example. In particular it may be used in conjunction with test mobile stations to confirm the network integrity and also the network quality of service (QoS). The facility may be used for subscriber observation, e.g. following a customer complaint or when the operator suspects malfunction of equipment, or at the request of the police. An example of equipment malfunction is the failure of handovers. Furthermore, trac-

ing makes it possible for the network to define a particular subscriber's location with the accuracy of a base station, for example.

Tracing can be divided into subscriber tracing, i.e. the tracing of the International Mobile Subscriber Identity IMSI, and equipment tracing, i.e. the tracing of the International Mobile station Equipment Identity IMEI. IMEI may be traced in order to find out the current IMSI, or the location or behavior of faulty or stolen equipment when reported via the EIR (Equipment Identity Register).

Trace activation is performed at the initiative of an operator by the switching center MSC to allow a trace record to be produced for a particular IMSI or IMEI when an invocation event occurs. Tracing is invoked by sending a BSSMAP MSC\_INVOKE\_TRACE message from the MSC to the BSS. The invocation event could be a location update, a call set-up, a handover, and/or a SMS (Short Message Service), for example. Trace records are generated according to the trace type given at trace activation. The trace type describes the invoking events for which the operator wishes to collect a trace record for a particular IMSI or IMEI and the type of record to be collected, i.e. the information needed. When a subscriber undertakes such action as to cause an invoking event to start, the compilation of a trace record commences according to the trace type. The trace is deactivated by the operator at the MSC using a special management function. Deactivation also occurs when the subscriber leaves the network service area or when a certain time limit is met. Network elements can limit the number of simultaneous traces by either rejecting a trace request or by only producing a sub-set of the information required.

The problem with the above described tracing facility according to prior art is that activation as well as deactivation of the tracing is done manually at the switching center MSC by the operator. This causes extra load for network management thus making the use of the tracing facility difficult. Furthermore, the activated trace is on until it is deactivated and might be recording unnecessarily when deactivation has not occurred in due time. For example, test mobile stations of the maintenance personnel are usually traced continuously although this would be desirable for only part of the time. This useless tracing causes excessive load to the MSC and the OMC and unduly restricts the number of terminals that can be traced. Yet another problem with the prior art tracing facility is that the numbers to be traced

have to be set manually in advance and due to the load caused to the network by tracing, the number of these numbers set to be traced is usually limited.

## 5                   **Summary of the invention**

The object of this invention is to provide an easily manageable tracing facility, especially simple trace activation.

This is achieved by using a method according to the invention characterized by what is stated in the independent claim 1. Special embodiments of the invention are presented in the dependent claims.

The invention is based on the idea that trace activation is executed when the mobile terminal contacts a predefined number. In a first embodiment of the invention, tracing is activated when the mobile terminal calls the predefined number and deactivated when this call ends. Tracing is thus active during the call and automatically deactivated at the end of the call. In a second embodiment of the invention, tracing is activated when the mobile terminal sends a message to the predefined number. In the second embodiment, tracing is deactivated when the mobile terminal sends another message to the predefined number or when a preset time period has elapsed, for example. There can be simultaneously many such predefined numbers, each of which executes trace activation for the mobile terminal that contacts the number. For example, these numbers can be predefined for different purposes, such as for maintenance personnel, commissioning personnel, customer service personnel, and customers. Also a call forwarded to one of these numbers triggers trace activation execution.

The advantage of the method according to the invention is that it provides simple trace activation and thus increases the usability of the tracing facility. Furthermore, the tracing facility according to the invention is simpler to manage.

Another advantage of the method according to the invention is that the operation of the switching center is optimized and automatized as far as the tracing facility is concerned. Especially tracing during the commissioning of a new base station site is facilitated.

Yet another advantage of the method according to the invention is that it can serve a greater number of subscribers overall, although only a few



at one time. When only the traces needed and wanted are saved, the storing of useless records is avoided in the network.

### Brief description of the drawings

5 The preferred embodiments of the invention will now be described with reference to the attached drawings, in which

Figure 1 shows the parts of the mobile communication network that are essential for the invention;

10 Figure 2 shows the trace activation according to the invention;

Figure 3 shows the first embodiment of the method according to the invention as a flow chart; and

Figure 4 shows the second embodiment of the method according to the invention as a flow chart.

15

### Detailed description of the invention

The present invention can be applied to any radio network. The invention will be described below in more detail, mostly by using the digital mobile communications system GSM as an example. Figure 1 shows the simplified structure of a GSM network as described earlier. The GSM system is described in GSM specifications and the book: "The GSM System for Mobile Communications", M. Mouly & M. Pautet, Palaiseau, France, 1992, ISBN:2-9507190-0-7, where an interested reader can find more background information.

20 In the following, the first embodiment of the invention is described in more detail with reference to Figures 2 and 3.

Figure 2 shows the trace activation procedure according to the invention. In the first embodiment of the example presented in the figure, mobile station MS (party A) calls party B (stage 21). If the phone number of party B is defined to be a number activating tracing facility according to the invention, i.e. defined as a trace activation number, the tracing facility is activated when a call is made to this number at stage 21. Tracing is invoked according to prior art when an invocation event occurs. If the phone number of party C is defined as a trace activation number, the tracing is activated when the call is forwarded by party B to this number at stage 23. An example of such a situation would be when a customer service (party B) forwards the

30

35

call that party A made to the trace activation number of party C. This functionality is of use in cases when a subscriber reports poor network quality or field strength, for example. By forwarding the call to a trace activation number, the customer service is able to trace the location of party A and other information needed to analyze the reported problem. Customer services may also instruct party A to call the trace activation number directly, such as the number of party C. In this case the trace activation would take place when party A calls this given number (stage 25). According to the invention the tracing remains activated during the call and is deactivated when the parties concerned terminate the call.

Figure 3 shows the first embodiment of the method according to the invention as a flow chart. At step 31 trace activation numbers according to the invention are defined, i.e. the numbers that activate the tracing are set. At step 32 a subscriber starts a call with a call setup. It is checked at step 33, if the call is made to one of the trace activation numbers defined earlier at step 31. When the switching center MSC detects a call made to a trace activation number, it activates the tracing according to the invention (step 34). The tracing is activated for the calling mobile station based on the IMSI or IMEI transferred to the network at call setup. At step 35 the continuance of the call is monitored. Trace records are produced during the call whenever an invoking event occurs. At the end of the call, the switching center MSC deactivates the tracing for this particular mobile station (step 36).

In the second embodiment of the invention, the trace activation is executed by sending a short message from the mobile station. In the example of figure 2, mobile station MS (party A) sends a short message to party B (stage 21). If the number of party B is defined to be a trace activation number, the tracing facility is activated when a short message is directed to this number at stage 21. Tracing is invoked according to prior art when an invocation event occurs. According to the invention the tracing remains activated, for example, for a predefined time period or until party B receives another short message from the mobile station MS in question.

Figure 4 shows the second embodiment of the invention as a flow chart. At step 41 trace activation numbers according to the invention are defined, i.e. the numbers that activate the tracing are set. At step 42 a subscriber sends a message, such as short message SMS in the GSM. It is checked at step 43, if the message is send for one of the trace activation

numbers defined earlier at step 41. When the switching center MSC detects a message sent to a trace activation number, it activates the tracing according to the invention (step 44). The tracing is activated for the communicating mobile station based on the IMSI or IMEI transferred to the network with the message. At step 45 a stop signal, i.e. a call off of the tracing, such as another message from the mobile station in question or predefined time period elapsing, is monitored. Trace records are produced during the trace activated period whenever an invoking event occurs. When detecting a call off of the tracing, the switching center MSC deactivates the tracing for this particular mobile station (step 46).

The first and second embodiments of the invention described above can also be combined wherein the predefined trace activation numbers activate tracing whenever receiving a communication from a mobile station.

Any communication from a mobile station to a predefined trace activation number activates tracing according to the invention. For example, any call made or forwarded to the trace activation number and/or any short message sent to this number activate tracing for the party A of the communication. In case of a call forwarded to a predefined trace activation number, it is a condition for the method according to the invention that an identifier of the caller (party A), such as IMSI or IMEI, is provided to the trace activation number. Tracing can be subscriber (IMSI) tracing or equipment (IMEI) tracing as in prior art. The trace type can be defined according to the called number or the calling party, for example. The trace type can also be defined to produce records of a pre-selected standard type.

Different trace activation numbers can be defined for different uses. For example, one trace activation number could be defined for commissioning new sites. When a new site is put into use, field personnel could make a few calls to this number so that the trace records produced can be used to check the behavior of the new site.

The trace activation according to the invention is fully automatic after the setting of at least one trace activation number by the operator, for example. Therefore, this kind of trace activation and deactivation is easy to use. Furthermore, trace activation on a call basis does not load the network unnecessarily.

- The drawings and the related description are only intended to demonstrate the principles of the invention. The details of the method according to the invention can vary within the patent claims. In this application, a communication from a mobile station means any kind of mobile originating
- 5 communication, a call or a short message, for example.

Copyright © 1999 by Nokia Corporation

### Claims

1. A method of trace activation in a mobile communications system, wherein a mobile station (MS) is in communication with the mobile communications network, whereby a trace report is generated for a mobile station (MS), characterized in that the method includes the following steps:

a communication from a mobile station (MS) is directed to a predefined trace activation number and  
tracing is activated for the communicating mobile station (MS).

2. A method according to claim 1, characterized in that the method further includes the steps of:

a call from the mobile station (MS) is directed to the predefined trace activation number,  
tracing is activated for the calling mobile station (MS), and  
tracing is deactivated when the call is ended.

3. A method according to claim 1, characterized in that the method further includes the steps of:

a message from the mobile station (MS) is directed to the predefined trace activation number and  
tracing is activated for the said mobile station (MS).

4. A method according to claim 3, characterized in that the method further includes the step of:  
tracing is deactivated when a preset time period is elapsed.

5. A method according to claim 3, characterized in that the method further includes the step of:

tracing is deactivated when a second message from the mobile station (MS) is directed to the predefined trace activation number.

6. A method according to claim 1, characterized in that the method further includes the step of:

defining at least one said trace activation number.

7. A method according to claim 1 or 2, characterized in that the call is made to a predefined trace activation number.

8. A method according to claim 1 or 2, characterized in that the call is forwarded to a predefined trace activation number.

9. A method according to claim 1, 2 or 3, characterized in that the method further includes the following step:


tracing is activated and deactivated automatically at the switching center (MSC).

5 10. A method according to claim 1, 2 or 3, characterized in that subscriber tracing is activated for the communicating mobile station (MS).

11. A method according to claim 1, 2 or 3, characterized in  
that equipment tracing is activated for the communicating mobile station  
10 (MS)

[illegible]

Fig. 1



2/3

Fig. 2




Fig. 3







Fig. 4



***Altera Law Group, LLC***

## Declaration and Power of Attorney Patent Application (Design or Utility)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: TRACING IN MOBILE COMMUNICATIONS SYSTEM

the specification of which

- ☐ is referred to by Altera reference number on a separate document  
☒ is attached hereto  
☐ was filed on \_\_\_\_\_ as application serial no. \_\_\_\_\_ and or PCT  
 International Application number \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information know to me to be material to patentability as defined in 37 C.F.R. §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or 35 U.S.C. §365(b) of any foreign application(s) for patent or inventor's certificate, or 35 U.S.C. §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate of PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)		
Number 981302	Country Finland	Day/Month/Year Filed 8 June 1998
Number	Country	Day/Month/Year Filed
Number	Country	Day/Month/Year Filed

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below:

Prior Provisional Application(s)	
Serial Number	Day/Month/Year Filing Date
Serial Number	Day/Month/Year Filing Date
Serial Number	Day/Month/Year Filing Date

I hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or under 35 U.S.C. §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Prior U.S. or International Application(s)		
Serial Number PCT/FI99/00495	Day/Month/Year Filed 8 June 1999	Status (patented, pending, abandoned) Pending
Serial Number	Day/Month/Year Filed	Status (patented, pending, abandoned)
Serial Number	Day/Month/Year Filed	Status (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

## Power of Attorney

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Steven R. Funk                      Reg. No. 37,830  
Michael B. Lasky                  Reg. No. 29,555  
Iain A. McIntyre                  Reg. No. 40,337


David W. Lynch                      Reg. No. 36,204  
Karen D. McDaniel                  Reg. No. 37,674  
Mark A. Hollingsworth              Reg. No. 38,491

I hereby authorize them or others whom they may appoint to act and rely on instructions from and communicate directly with the person/organization who/which first sends this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Altera Law Group, LLC otherwise.

Please direct all correspondence in this case to Altera Law Group, LLC at the address indicated below:

Michael B. Lasky  
Altera Law Group, LLC  
10749 Bren Road East, Opus 2  
Minneapolis, MN 55343

Full Name of Sole or First Inventor		
Family Name	First Given Name	Second Given Name
Suutarinen	Jari	
Residence and Citizenship		
City of Residence	State or Country of Residence	Country of Citizenship
Tampere	Finland	Finland
Post Office Address		
Street Address	City	State & Zip Code or Country
Koelentäjänkatu 9	FIN-33900 Tampere	FINLAND
Signature of Inventor		Date

Full Name of Second Inventor, if any		
Family Name	First Given Name	Second Given Name
Residence and Citizenship		
City of Residence	State or Country of Residence	Country of Citizenship
Post Office Address		
Street Address	City	State & Zip Code or Country
Signature of Inventor		Date
		3-Nov-2000